# K KUDOS SHOWERING SOLUTIONS

PINNACLE COLLECTION

pinnacle8

shower doors



# pinnacle8 collection







### The difference is in the detail

The pinnacle8 range of enclosures represents new heights in shower enclosure design, with selected products now available in a stunning matt black finish, combining our iconic design with timeless elegance.

Characterised by a minimalist cut out finger pull and easy fit wall posts with concealed fixings and featuring crystal clear seals, 8mm toughened safety glass throughout and treated with Lifeshield™ protective coating for easy cleaning, all products are 2000mm high and covered by a lifetime guarantee against material or manufacturing defects for your complete peace of mind.

The pinnacle8 collection features hinged, sliding and centre-folding door options to suit both recess and corner installations in sizes ranging from 760mm to 1800mm so there is sure to be a solution to suit you. With concealed fixings throughout, these stylish minimalist doors are both easy to install and stunning to look at.











### hinged corner doors

The pinnacle8 hinged door is available in sizes ranging from 760mm to 1500mm with side panels from 700mm to 1200mm. Stylish chrome or black rise and fall hinges, minimalist frameless design with crystal clear seals, pinnacle8 will enhance any bathroom design.

#### **Features**

- + 8mm toughened safety glass
- + 2000mm high
- + Concealed fixings
- + Slimline profile with 20mm wall adjustment
- + Lifeshield™ Glass Protection
- + Crystal clear glass to glass seals
- + Die cast chrome or black rise and fall hinges
- + Frameless side panels
- + Crystal clear corner seals

### Optional Items

Product	***Product Code
*Angled Stabilising Bracket for Doors 1000mm Only	P8SB22
*Angled Stabilising Bracket for Doors 1200mm+	P8SB32
**Retro Fit Handle	P8RH
† 10mm Extension Post	P8SOS

<sup>\*</sup> An optional angled stabilising bracket is available for larger doors if additional stability is required.


Both angled bracket and handle can be retro fitted and only need to be purchased if preferred.

### Codes & Dimensions §

Door Size	***Product			Dimension	s (mm)		
Door Size	Code	Α	В	С	D	Е	F
760mm	P8HC76	730-750	530	168-188	555	26	-
800mm	P8HC80	770-790	570	168-188	595	26	-
900mm	P8HC90	870-890	670	168-188	695	26	-
1000mm	P8HC100	970-990	670	268-288	695	26	-
1100mm	P8HC110	1065-1105	670	368-388	695	26	-
1200mm	P8HC120	1170-1190	670	468-488	695	26	-
1300mm	P8HC130	1265-1305	670	568-588	695	26	-
1400mm	P8HC140	1370-1390	670	668-688	695	26	-
1500mm	P8HC150	1470-1490	670	768-788	695	26	-
Side Panels							
700 mm	P8HC2SP70	-	-	-	-	26	670-690
=							

700 mm	P8HC2SP70	-	-	-	-	26	670-690
760 mm	P8HC2SP76	-	-	-	-	26	730-750
800 mm	P8HC2SP80	-	-	-,	-	26	770-790
900 mm	P8HC2SP90	-	-	-	-	26	870-890
1000 mm	P8HC2SP100	-	-	-	-	26	970-990
1200 mm	P8HC2SP120	-	-	-	-	26	1170-1190

### Layout



### Hinged recess doors are supplied left hand or right hand

- \*\*\*Please add **L or R** to the product code to indicate left or right handed door.

  When ordering matt black please add **MBK** to product codes
- $^{\S}$   ${\rm N.B}~$  Hinged Doors for Recess and Corner are not interchangeable

<sup>\*\*</sup>An optional handle is available if required.

<sup>&</sup>lt;sup>†</sup> All doors and side panels can be extended in 10mm increments with an extension post (to a maximum of 20mm/ 2 posts per fixed panel side only)



### hinged recessed doors

The pinnacle8 hinged door is available in sizes ranging from 760mm to 1500mm. Stylish chrome or black rise and fall hinges, minimalist frameless design with crystal clear seals, pinnacle8 will enhance any bathroom design.

### **Features**

- + 8mm toughened safety glass
- + 2000mm high
- + Concealed fixings
- + Slimline profile with 20mm wall adjustment
- + Lifeshield™ Glass Protection
- + Crystal clear glass to glass seals
- + Die cast chrome or black rise and fall hinges
- + Crystal clear corner seals

### Codes & Dimensions §

	***Product	Dimensions (mm)							
Door Size	Code	А	В	С	D	E	F		
760mm	P8HR76	725-765	505	168-188	534	26	34		
800mm	P8HR80	765-805	545	168-188	574	26	34		
900mm	P8HR90	865-905	645	168-188	674	26	34		
1000mm	P8HR100	965-1005	645	268-288	674	26	34		
1100mm	P8HR110	1065-1105	645	368-388	674	26	34		
1200mm	P8HR120	1165-1205	645	468-488	674	26	34		
1300mm	P8HR130	1265-1305	645	568-588	674	26	34		
1400mm	P8HR140	1365-1405	645	668-688	674	26	34		
1500mm	P8HR150	1465-1505	645	768-788	674	26	34		


### **Optional Items**

Product	***Product Code
*Angled Stabilising Bracket for Doors 1000mm Only	P8SB22
*Angled Stabilising Bracket for Doors 1200mm+	P8SB32
**Retro Fit Handle	P8RH
† 10mm Extension Post	P8SOS

<sup>\*</sup> An optional angled stabilising bracket is available for larger doors if additional stability is required.

Both angled bracket and handle can be retro fitted and only need to be purchased if preferred.

### Layout



### Hinged recess doors are supplied left hand or right hand

<sup>\*\*</sup>An optional handle is available if required.

<sup>&</sup>lt;sup>†</sup> All doors and side panels can be extended in 10mm increments with an extension post (to a maximum of 20mm/ 2 posts per fixed panel side only)

<sup>\*\*\*</sup>Please add **L or R** to the product code to indicate left or right handed door.

When ordering matt black please add **MBK** to product codes

<sup>§</sup> N.B Hinged Doors for Recess and Corner are not interchangeable



### straight sliding corner doors

The pinnacle8 sliding corner door is available in sizes ranging from 1000mm-1800mm, with sides ranging from 700mm to 1200mm perfect for the medium to large showering space.

Semi-frameless with crystal clear seals these minimalist doors give an illusion of endless space.

#### **Features**

- + 8mm toughened safety glass
- + 2000mm high
- + Concealed fixings
- + Slimline profile with 20mm wall adjustment
- + Lifeshield™ Glass Protection
- + Crystal clear glass to glass seals
- + Twin Rollers with stainless steel bearings
- + Crystal clear corner seals

### Codes & Dimensions §

	***Product	Dimensions (mm)							
Door Size	Code	A	В	С	D	E			
1000mm	P8SC100	970-990	400	452-472	26	-			
1100mm	P8SC110	1070-1090	400	552-572	26	-			
1200mm	P8SC120	1170-1190	500	552-572	26	-			
1400mm	P8SC140	1370-1390	600	652-672	26	=			
1500mm	P8SC150	1470-1490	600	752-772	26	-			
1600mm	P8SC160	1570-1590	600	852-872	26	-			
1700mm	P8SC170	1670-1690	600	952-972	26	-			
1800mm	P8SC180	1770-1790	600	1052-1072	26	-			
Side Panels									
700,,,,,,	D0CC2CD70				27	/70 /00			

700mm	P8SC2SP70	-	-	-	26	670-690
760mm	P8SC2SP76	=	-	=	26	730-750
800mm	P8SC2SP80	-	-	-	26	770-790
900mm	P8SC2SP90	-	-	-	26	870-890
1000mm	P8SC2SP100	-	-	-	26	970-990
1200mm	P8SC2SP120	-	-	-	26	1170-1190

### **Optional Items**


Product	***Product Code
*Angled Stabilising Bracket for Doors 1000mm Only	P8SB22
*Angled Stabilising Bracket for Doors 1200mm+	P8SB32
**Retro Fit Handle	P8RH
† 10mm Extension Post	P8SOS

<sup>\*</sup> An optional angled stabilising bracket is available for larger doors if additional stability is required.

Both angled bracket and handle can be retro fitted and only need to be purchased if preferred.

 $^\dagger$  All doors and side panels can be extended in 10mm increments with an extension post (to a maximum of 20mm/ 2 posts per fixed panel side only)

### Layout



Straight sliding corner doors can be fitted to open either to the left or right

<sup>\*\*</sup>An optional handle is available if required.

<sup>\*\*\*</sup>When ordering matt black please add MBK to product codes

<sup>§</sup> N.B Sliding Doors for Recess and Corner are not interchangeable



### straight sliding recessed doors

The pinnacle8 sliding recessed door is available in sizes ranging from 1000mm to 1800mm, perfect for the medium to large showering space. Semi-frameless with crystal clear seals these minimalist doors give an illusion of endless space.

#### **Features**

- + 8mm toughened safety glass
- + 2000mm high
- + Concealed fixings
- + Slimline profile with 20mm wall adjustment
- + Lifeshield™ Glass Protection
- + Crystal clear glass to glass seals
- + Twin Rollers with stainless steel bearings
- + Crystal clear corner seals

### Codes & Dimensions §

5 6	***Product		Di	mensions (mm)		
Door Size	Code	Α	В	с	D	E
1000mm	P8SR100	965-1005	375-395	452-472	26	37
1100mm	P8SR110	1065-1105	375-395	552-572	26	37
1200mm	P8SR120	1165-1205	475-495	552-572	26	37
1400mm	P8SR140	1365-1405	575-595	652-672	26	37
1500mm	P8SR150	1465-1505	575-595	752-772	26	37
1600mm	P8SR160	1565-1605	575-595	852-872	26	37
1700mm	P8SR170	1665-1705	575-595	952-972	26	37
1800mm	P8SR180	1765-1805	575-595	1052-1072	26	37


### **Optional Items**

Product	***Product Code
*Angled Stabilising Bracket for Doors 1000mm Only	P8SB22
*Angled Stabilising Bracket for Doors 1200mm+	P8SB32
**Retro Fit Handle	P8RH
† 10mm Extension Post	P8SOS

<sup>\*</sup> An optional angled stabilising bracket is available for larger doors if additional stability is required.

Both angled bracket and handle can be retro fitted and only need to be purchased if preferred.

### Layout



Straight sliding corner doors can be fitted to open either to the left or right

<sup>\*\*</sup>An optional handle is available if required.

<sup>&</sup>lt;sup>†</sup> All doors and side panels can be extended in 10mm increments with an extension post (to a maximum of 20mm/ 2 posts per fixed panel side only)

<sup>\*\*\*</sup>When ordering matt black please add **MBK** to product codes

 $<sup>^{\</sup>S}$   ${\rm N.B}~$  Sliding Doors for Recess and Corner are not interchangeable



### centre folding doors

The space saving centre-folding door, available in sizes ranging from 800mm to 1000mm is just perfect for the small to medium showering space. With a hidden door mechanism, concealed magnets and crystal clear seals you have an uninterrupted glass door with a positive closing action.

### Features

- + 8mm toughened safety glass
- + 2000mm high
- + Concealed fixings
- + Slimline profile with 20mm wall adjustment
- + Lifeshield™ Glass Protection
- + Crystal clear glass to glass seals
- + Concealed die cast folding mechanism
- + Minimalist frameless design

### Codes & Dimensions §

		Adjus	stments (mm)								
Door Size	Product Code	RECESS (door only)	CORNER (door +1 side panel)	Dimensions (mm)					Dimensions (mm)		
		А	А	В	С	D	E	F	G	Н	
800mm	P8CF80	765-805	770-790	230	440	145	140	140	26	-	
900mm	P8CF90	865-905	870-890	255	490	170	175	160	26	-	
1000mm	P8CF100	965-1005	970-990	305	590	170	175	160	26	-	


### Side Panels

800mm	P8CF2SP80	-	-	-	-	-	-	-	26	770-790
900mm	P8CF2SP90	=	=	-	-	-	-	-	26	870-890
1000mm	P8CF2SP100	-	-	-	-	-	-	-	26	970-990
1200mm	P8CF2SP120	-	-	-	-	-	-	-	26	1170-1190mm



Minimalist finger pull.

### Layout



### All doors suitable for corner or recess fixing

### Optional Items

Product	Product Code
**Retro Fit Handle	P8RHCF
† 10mm Extension Post	P8SOS

<sup>\*\*</sup>An optional handle is available if required.

<sup>&</sup>lt;sup>†</sup> All doors and side panels can be extended in 10mm increments with an extension post (to a maximum of 20mm/ 2 posts per fixed panel side only)



Concealed folding mechanism.



# pinnacle**8** quadrant doors

Surround yourself with a panoramic seamless expanse of glass.

The semi-frameless pinnacle8 Quadrant and Offset Quadrant features uninterrupted glass from wall to wall with its crystal clear seals and unique finger pull.

### Features

- + 8mm toughened safety glass
- + 2000mm high
- + Concealed fixings
- + Slimline profile with 20mm wall adjustment
- + Lifeshield™ Glass Protection
- + Crystal clear glass to glass seals
- + Twin Rollers with stainless steel bearings and dynamic adjustment
- + Semi-frameless panels
- + Die cast bottom guides


### Codes & Dimensions §

	Dimensions (mm)				Door Size ***Product Code	
E F	D	С	В	А	Product Code	Door Size
335-355 26	600-620	470	865-885	865-885	P8Q90	900 x 900mm
435-455 26	700-720	470	965-985	965-985	P8Q100	1000 x 1000mm
235-255 26	600-620	470	765-785	865-885	P8Q9080	900 x 800mm
235-255 26	700-720	470	765-785	965-985	P8Q1080	1000 x 800mm
435-455 26	600-620	470	865-885	965-985	P8Q1090	1000 x 900mm
235-255 26	900-920	470	765-785	1165-1185	P8Q1280	1200 x 800mm
635-655 26	600-620	470	865-885	1165-1185	P8Q129	1200 x 900mm
2 4	700-720 600-620 900-920	470 470 470	765-785 865-885 765-785	965-985 965-985 1165-1185	P8Q1080 P8Q1090 P8Q1280	1000 x 800mm 1000 x 900mm 1200 x 800mm



Die cast bottom guides

### Layout



### Quadrant doors can be fitted either to open to the left or right

\*\*\*When ordering matt black please add **MBK** to product codes

### **Optional Items**

Product	***Product Code
*Angled Stabilising Bracket for Doors 1000mm Only	P8SB22
*Angled Stabilising Bracket for Doors 1200mm+	P8SB32
**Retro Fit Handle	P8RH
† 10mm Extension Post	P8SOS

- \* An optional angled stabilising bracket is available for larger doors if additional stability is required.
- \*\*An optional handle is available if required.

Both angled bracket and handle can be retro fitted and only need to be purchased if professed

 $^\dagger$  All doors and side panels can be extended in 10mm increments with an extension post (to a maximum of 20mm/ 2 posts fixed panel side only)



Twin rollers with stainless steel bearings














Download our latest collection brochure by **scanning the QR code** below.







### **Kudos Shower Products Ltd**

Elmsfield Park, Holme Cumbria LA6 1RJ **United Kingdom** 

Telephone: +44 (0)1539 564040 Fax: +44 (0)1539 564141 Email: sales@kudosshowers.co.uk

www.kudosshowers.co.uk







